



Shirley Ryan **Kbilitylab**

Research study conducted by Dr. Arun Jayaraman, PT, Ph.D., Director Max Nader Lab for Rehabilitation Technologies and Outcomes Research, Shirley Ryan AbilityLab / Rehabilitation Institute of Chicago.



Laboratory research study revealed LifeWalker upright technology outperforms standard rollators and walkers

- Improved gait efficiency was observed.
- Users experienced lower oxygen consumption and physical exertion.
- Reduced erector spinae lumbar muscle activation.
- Reduced anterior-posterior trunk sway.
- Participants offloaded 39% to 46% of body weight through elbow support armrest while ambulating.
- The Lifewalker product led to upright posture, offloaded portions of weight from the lower extremity and improved gait efficiency during ambulation in comparison to rollators and other devices.



UPUUGIKE®

Limited Lifetime Warranty covers frame against defects in materials and workmanship.

Learn more today: (866) 816-7973, Ext. 1 · LifeWalkerMobility.com

UPWalker (patented) and LifeWalker are trademarks of ProtoStar, Inc., dba LifeWalker Mobility Products.

Features not found in traditional walkers

Adjustable-Height Armrests

Lockable Brakes

Comfortable Seat (Cleanable Naugahyde seat standard on Large units)

- Sit-To-Stand Handles
- **Speed Control**
- Sturdy, Foldable Frame (Non-Porous Surfaces for Easy Disinfection)
- Optional luxury bag holds portable oxygen concentrator (POC)



Enhanced braking system to manage rate of speed and provides resistance from moving backwards.

Clinical Applications

In comparison to standard rollators and walker devices, the UPWalker provides functional benefits which can be applied to treating clinical conditions including:

- **CVA**
- Stroke
- COPD
- TBI
- Ataxia
- Degenerative Spinal Disease / Sciata
- **Multiple Sclerosis**
- Balance Disorders
- Other Neuro & Respiratory Disorders
- Parkinson's Disease

SAFER BY DESIGN



ENGINEERED FOR SAFETY

SAFETY & STABILITY BY DESIGN

The patented UPWalker is the only upright mobility device designed from the ground-up to reduce lateral and forward tip-over fall risk. Tested and certified to ISO standards (ISO 11199-3: 2005) for indoor and outdoor use.

3 UPWalker Size Options for Best Fit

The UPWalker is available in 3 sizes to accommodate user height from 4'4" to 6'5" and weight up to 350 lbs (size L).

UPWalker Product Specifications:

| FEATURES | YOUTH (H200-S) | STANDARD (H200) | LARGE (H200-L)* |
|----------------------------|---|-------------------------------|-------------------------------|
| | | | |
| Product Specifications | | | |
| User Height Range | 4'4"-5'5" (132-165 cm) | 4'7"-5'10" (140-178 cm) | 4'10"-6'5" (147-196 cm) |
| User Weight Capacity | 300 lb (136 kg) | 300 lb (136 kg) | 350 lb (159 kg) |
| Length | 30.5" (77 cm) | 33.5" (85 cm) | 36" (91.4 cm) |
| Width | 21.5" (54 cm) | 23.5" (60 cm) | 25.5" (65 cm) |
| Armrest Height Range | 31.5"-40.5" (80-103 cm) | 32.5"-43.5" (82.5-110.5 cm) | 36"-49.5" (91-126 cm) |
| Seat Width & Depth | 16" (40.5 cm) W x 10" (25 cm) D | 18" (43 cm) W x 11" (28 cm) D | 20" (51 cm) W x 16" (41 cm) D |
| Seat Height From Ground | 20" (51 cm) | 20" (51 cm) | 21" (53.5 cm) |
| Sit-to-Stand Handle Height | 28" (71 cm) | 30" (76 cm) | 32" (81 cm) |
| Unit Weight | 21 lb (9.5 kg) | 23.5 lb (10.5 kg) | 25.5 lb (11.5 kg) |
| Wheel Size | 8" | | |
| Folded Dimensions | | | |
| Length | 30.5" (77 cm) | 33.5" (85 cm) | 36" (91.5 cm) |
| Height | 35" (89 cm) | 37.5" (95 cm) | 40" (101.5 cm) |
| Width | 10.5" (27 cm) | | |
| Warranty | Lifetime Warranty on frame; 6-months on non-durable components & accessories. | | |

^{*}Shown with stabilizing bridge (standard on large)

For detailed patent information, go to www.LifeWalkerMobility.com/patents-and-trademarks



